

Front doors  
in manufactory quality  
made of wood and wood-aluminum.

# Front doors Edition 02

Different, **of course...**

 **DÖPFNER**  
FENSTER TÜREN UND MEHR

# Front doors from Döpfner.

Anything but ordinary...



Front doors for life.  
From modern to classic.

## Contents

DÖPFNER - Naturally different...	4
Why DÖPFNER?	4-5
Variety of materials	6-7
Technology+ Construction	8-9
The inside	10-11
WOOD surfaces	12-13
ALUMINIUM surfaces	14-15
Security  Lock  Comfort access	16-17
Handles+ Fittings	18-19
DÖPFNER Individual	20-21
Side panels  Fanlights  Oversizes	22-23
<hr/>	
Entrance door models WOOD-ALUMINIUM EXCLUSIVE	24-35
Entrance door models WOOD-ALUMINIUM	36-47
Front door models WOOD	48-67
Front door models SIDE ENTRANCE+ USE SPACE	68-69
<hr/>	
Basic technical equipment  Overview table	71

# Döpfner front doors. Naturally different...

Natural instead of artificial. Sustainable instead of short-lived.

Products with a natural soul.

That costs us a lot!

Our responsibility for a sustainable future is more important to us than simply maximizing profits. We primarily use regional wood from short distances - always from certified sustainable forestry! Through innovative measures in the areas of wood finishing, construction and surface treatment, we bring spruce, pine, larch and oak to an outstanding level of durability. Wood species from tropical primeval forests or the Siberian taiga are taboo for us!

The aluminum shells of our wood-aluminum window systems are made from sustainable recycled aluminum to conserve resources.

Our customers demand products with a credible philosophy that they can identify with. Our material wood stands for naturalness, sustainability and value - for lasting quality that you can see, feel and smell.

This is what the name DÖPFNER stands for...




OUR FOOTPRINT IS

**GREEN!**

CERTIFIED -  
WITH LETTER AND SEAL!

+++ (A)

1,0



Dipl.-Ing. (FH) Mario Döpfner


Dipl.-Betriebswirt(FH) Frank Döpfner

# Manufactory quality. Technically and visually.

With over 100 years of craftsmanship, high-precision high-tech machines and selected high-quality materials, we produce

Individual front doors for a lifetime.


- Very dimensionally stable construction
- High-strength steel reinforcements for lasting rigidity
- High-quality materials
- Optimum thermal insulation
- Elaborate dry glazing with high-quality, durable seals instead of silicone



## HIGH QUALITY WELDED ALUMINUM SHELLS INSTEAD OF SIMPLY PLUGGING THEM TOGETHER.

A very important but often underestimated detail: DÖPFNER aluminum blind frames are not simply assembled from bar stock, but are painstakingly welded by hand and perfectly sanded before powder coating.

Each frame is individually handcrafted and unique with a flawless appearance - highly stable and permanently sealed!



## Wood.

Oak. Larch. Spruce.

Elegant real wood surfaces  
with a natural feel.

## Mineral.

High quality  
Mineral surfaces in many  
variants:

Cement effect.  
Stone effect.  
Steel effect.

## Stone.

Genuine, noble  
Stone surfaces.  
In many variants.

## Alu min um.

Indestructible  
aluminum surfaces in  
**PREMIUM** quality.  
Available in countless  
color variants...

## Corian®

## Mix.

# Individuality with intent. Incredibly versatile.

**Wood in every conceivable variety.** Oak, larch, spruce - smooth, brushed - or reclaimed wood that has aged for centuries. **Real stone surfaces.**

**Solid surface materials** in a cutting-edge concrete look.

**CORIAN®** with unique 3D textured milling.

Or mix and match your own individual door - the VS system also allows you to **mix materials!**

# VS

The Döpfner  
facing formwork  
system.

The DÖPFNER VS facing shell is mounted  
on the door leaf blank using a patented  
device.  
This technology allows us to use a huge  
range of different materials.

The design allows  
also the subsequent replacement of the  
VS shell!

# IVS

On the following pages you will find a small selection of model examples... Let yourself be inspired, find your style and define your wishes - because the basic models shown can be customized in many different ways.

## We are the specialists for premium entrance doors in Wood and wood-aluminum construction.

### Wood inside! And outside: whatever you want!

The core of a DÖPFNER front door is always made of wood - supplemented by high-quality aluminum shells on the outside, depending on the model. In addition, our VS cladding system enables the combination with many material worlds: Wood, solid surface materials, stone, Corian ...\*

WOOD **ALU**

WOOD



## FLUSHING OR SURFACE OFFSET

Depending on the model, the OUTSIDE and/or INSIDE of Döpfner entrance door models can be designed as FLAT or FLUSH.

### STANDARD INSIDE SURFACE OFFSET

Door leaf is in front of the door frame



### OPTIONAL FLUSH INSIDE

Door leaf on one level with the door frame



### DEPENDENT ON MODEL OUTSIDE SURFACE OFFSET

Door leaf is lower than the door frame


### DEPENDENT ON MODEL OUTSIDE FLUSH- MOUNTED

Door leaf and door frame are on one level

### INSIDE SURFACE OFFSET



### FLUSH INSIDE



OUTSIDE SURFACE OFFSET

OUTSIDE FLUSH

# Noble, warm and cozy wood on the inside! Visually incredibly versatile.

There is certainly a reason why wood has been by far the most frequently used material for furniture for centuries.


**This is not a bad idea for front doors either.**

Wood is a natural, genuine, living material.


Wood has a high-quality, warm and homely appearance. Wood simply feels good.

**Wood is incredibly versatile!**

Many glazed surface variants and opaque RAL colors are available.



Light cut-outs - with or without glazing beads depending on the design



## Just as versatile on the inside as on the outside!

### INSIDE SURFACE OFFSET



The door leaf is in front of the door frame. This is the **STANDARD CONSTRUCTION** on the inside

### FLUSH INSIDE



Door leaf and door frame are on one level. This **FLAT CONSTRUCTION** is available **OPTIONALLY** depending on the model.

### INSIDE KNOTTY



The **INTERIOR SIDES** of our front door models are visually very variable - in addition to the longitudinal or transverse veneer versions, **ASTIGE SURFACES** are also available.

# Wooden surfaces. Maximum durability. Aquawood Diamond Finish.

Closed-pore,  
ultra-weatherproof wooden surfaces.

**DIAMONDS ARE FOREVER.** No natural material is harder and more durable than diamonds. The aim in developing the new **DIAMOND FINISH surfaces** was to come as close as possible to this ideal of indestructibility.


Thanks to the new 2K formulation, the optimum balance between maximum surface hardness, optimum permanent elasticity and the highest possible UV resistance has now been achieved.

This enables superior weather resistance and durability on a completely new level - and the water-based, pollutant-free technology makes **DIAMOND FINISH** uncompromisingly environmentally friendly!

For **DIAMOND** wood surfaces, you can also choose from a large selection of opaque colors from the RAL range.



This overview is only a  
small excerpt from our  
overall  
Color spectrum!



Glazing-closed-pored,  
ultra-weatherproof wooden surfaces  
for timber window systems

# wooden surfaces. Unadulterated, of course. Matt varnish and wood oil.

Open-pored wood surfaces  
with a maximum natural feel.

**MAXIMUM NATURALNESS.** For natural, particularly matt front door surfaces, the **AQUAWOOD TOP-MATTLASUR** and **PULLEX HOLZÖL NAVARRA** surfaces are the perfect choice.

perfect choice. Wood is a natural product - naturally grown, not artificial, not chemical, not synthetic.

Every grain is as unique as a fingerprint and every type of wood has an unmistakable look - and you should be able to see, feel, touch and smell this...

The open-pored glaze leaves the wood completely natural and structurally unchanged - and still provides very good protection against all weather influences.

# Aluminum surfaces. Highly weather-resistant and versatile.


They are all beautiful at first. But real **PREMIUM** quality shows after decades!

Simply **PREMIUM**. **PREMIUM 30**, our aluminum surfaces with high-tech powder coatings of the absolute top class offer up to 30 years warranty!

Weathering according to EN ISO 11341

**Excellent Weathering properties (ultra-high weather resistance)**

Weathering test with strongly accelerated paint ageing in the QUV-B test device and so-called "Florida exposure" (subtropical irradiation).



CHOOSE **WITHOUT SURCHARGE**

from the color fans:

**PREMIUM 30** 30-year warranty\*

**PREMIUM 10** 10 year warranty\*

Source: IGP | Product launch IGP HWF Superior, Series 57, highly weather-resistant. PLUS Information, PM Architecture March 2012  
**IGP** POWDER COATINGS  
 \* If the warranty conditions are observed, see [www.doepfner.de/garantie](http://www.doepfner.de/garantie)

This overview is only a small excerpt from our overall color spectrum!



## State-of-the-art lock technology is a matter of course for Döpfner.

**TANDARD 3-FOLD**

**PTIONAL 5-FOLD**

ur basic lock system BS 2600 already has a **3-FOLD LOCKING SYSTEM** with high-strength steel bolts and swivel hooks - optional variants increase security

och further and offer an elaborate **COMPARTMENT LOCK.**

UP TO SAFETY CLASS

**RC2**

Other variants offer you **mechanical or electromotive automatic lock functions (AS 3600| Genius)**

## Keys? You can forget it! Smart Home starts at the front door.



**Fingerprint mounting as required**  
in the door leaf, in the door handle or in the door frame

**eKey systems. Make your front door SMART - with fingerprint, keypad+ Co.**

The best key is the one you can't lose - your fingerprint, your smartphone or an individual numeric code. With the latest convenient access control systems from market leader eKey, app-controlled remote opening is also no problem - no matter where you are.

Despite this great increase in comfort, safety is of course at the highest level.

**NEW!**  
**ONLOCK**  
*easy touch*



**ONLOCK system. The fingerprint daily unlocking system at an unrivaled price.**

For this budget-oriented access system, the minimum price was at the top of the specifications. ONLOCK offers the basic function of FINGERPRINT DAY UNLOCKING without any ballast. Additional functions such as app-based programming, remote unlocking etc. are not possible!


# Made to touch.

A selection of our handles and fittings.

## HANDLES


Bar handles are available in a range of lengths.

## HANDLE SHELLS



The surface of many handle models - in addition to stainless steel and RAL 9005 FS fine structure matt - also available in other RAL colors on request.



## PUSH HANDLES





## OUTSIDE ROTATION



## INTERIOR HANDLE SETS | Perforated parts and rosettes




We are happy to build you  
Your very own front door!  
Maximum individuality.



Simply mix and  
match your own  
individual door leaf!

FACING SHELL VS MIX  
Division variants

MIX is visually very variable and can be adapted to suit every taste.



The DÖPFNER entrance door models on the following pages are just an excerpt from our overall program - and only a selection of our possibilities.

Send us your drawing, your idea sketch...

We will leave no stone unturned to realize your individual front door vision!




## Side panel, fanlight and co. solutions for large formats.

If the hole in the building is slightly larger than normal, we will of course also find a perfectly suitable solution.

All front door models can be fitted with side panel(s) and skylight - both in width and height.




A few examples from countless possibilities...




**Big. Bigger. The biggest!**  
Oversized doors.

You don't want side panels or fanlight units, but rather a really large door? That's no problem either, as we build many of our models - in addition to the usual standard sizes - in impressive oversizes on request.



## The doors with depth. 3-D. Simply three-dimensional

Not an optical illusion, but an interesting third dimension.  
The elegant combination of flush and offset door leaves.  
The elaborately designed 3-D aluminum shell creates a unique  
Visual depth - the lock-side part of the door leaf is clearly offset to the rear.



### 5501/edition02 VS MIX | 3-D

Construction Wood blank | VS facing shell Wood type  
Spruce | frame + door leaf | lengthwise facing  
VS mix 2.6 | 3-D | Aluminum +  
Beam oak brushed lengthwise  
Surface cards Aluminum according to color  
External handle Beam oak only MATTASUR according to color chart  
SGD-733  
PZ rosette SRA-311

## The 3-D effect.

Part of the door leaf is  
recessed.



### 5505/edition02 VS MIX | 3-D

Construction Wood blank | VS facing shell Wood type  
Spruce | Frame+ Door leaf | lengthwise VS mix  
2.6 facing shell | 3-D | Aluminum+ Aluminum finish  
Aluminum according to color cards  
External handle SGD-832 | Length 1800 mm PZ  
rosette SRA-311



Available in countless colors! A mix of  
materials is also possible!




## The art of the fine joint. Flush with the surface, modern.

Less is more - these models look timelessly modern thanks to the design principle of reduction.

Fine gap dimensions and a high-quality material appearance are combined with great visual customizability. Door leaf in aluminum - or rather in wood. You decide!


### 5201/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   longitudinal facing
VS Aluminum	
Surface finish	Aluminum according to color cards
Outside handle rosette	SGD-811   Length 1600 mm PZ ZRA-318



### 5202/edition02 VS Wood

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise Facing
VS Brushed oak lengthwise	
Surface finish	Frame aluminum according to color cards
Beamed oak only	MATTASUR according to color chart
Handle outside rosette	SGD-854   Length 1600 mm   RAL 9005 FS PZ ZRA-326   RAL 9005 FS



## Ancient wood in a modern setting. Right on trend.

They go well together - modern concrete and old wood. In these models, we actually use antique reclaimed wood with its incomparably archaic appearance.

These special materials have already been "tanned" by sun, rain and wind to such an extent that they do not require surface sealing. Each door leaf is therefore unique.

Or optionally with the innovative THERMOFICHTE material - thermally treated with a perfect reclaimed wood look and outstanding weather resistance.



### 5231-TF/edition02 VS reclaimed wood look

Construction	Wood blank   VS facing shell Wood species Spruce   Frame+ Door leaf   lengthwise Facing shell VS Thermo spruce   Board formwork crosswise
chamfered) Surface	Board edges without chamfer (optionally Aluminum frame according to color cards Wood untreated or Pullex wood oil colorless Navarra
External handle	SGD-854   Length 1600 mm   RAL FS
PZ rosette	Optionally with fingerprint ZRA-318   RAL FS

**Now also in thermal spruce**  
Perfect Reclaimed wood look. Highly weatherproof and durable.



### 5351/edition02 VS MIX

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   lengthwise
VS mix 3.2 facing panel	Aluminum+ Antique planed oak Board formwork transverse   board edges without chamfer (optionally chamfered) Surface
Surface	Aluminum according to color cards Wood untreated or Pullex wood oil colorless Navarra
External handle	SGD-732
PZ rosette	ZRA-318



### 5324/edition02 VS MIX

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise
VS mix 2.6   Aluminum+	Antique planed oak Board formwork transverse   board edges without chamfer (optionally chamfered) Surface
Surface	Aluminum according to color cards Wood untreated or Pullex wood oil colorless Navarra handle
outside	SGD-811   length 1600mm
PZ rosette	ZRA-318



### 5325/edition02 VS MIX

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   lengthwise
VS mix 2.6 facing shell   Aluminum+	Antique spruce   Cross boarding Board edges without chamfer (optionally chamfered) Surface finish
Surface finish	Aluminum according to color cards Wood untreated or Pullex wood oil colorless Navarra handle
outside	SGD-811   length 1600mm
PZ rosette	ZRA-318



### 5315/edition02 VS MIX

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise
VS mix 2.1 facing shell   Aluminum+	Antique light oak   Cross board cladding Board edges without chamfer (optionally chamfered) Surface finish
Surface finish	Aluminum according to color cards Wood untreated or Pullex wood oil colorless Navarra
External handle	SGD-732
PZ rosette	ZRA-318




**Uniquely imposing appearance.**

The stepped glass light cut-out across the entire width is mirrored.

Underneath, a very high-quality brushed stainless steel hinge - with integrated handle shell and PZ rosette - completes the elegant monobloc look.

**Monobloc.  
Impressively large.**



**5601/edition02**  
VS Aluminum MONOBLOC

Construction type	Wood blank   VS facing shell Spruce   frame + Door leaf   longitudinal VS
Monobloc 2 ST   according to color cards MIRASTAR	Aluminum finish   Glazing Aluminum   Mirror glass
External handle	as a stepped disk Triple glazing GSD-632 with PZ rosette ZRA-327 with GSD-632 cover





**5631/edition02**  
VS MIX MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | frame + door leaf | lengthwise  
VS Monobloc 1 ST | mix 3.1 | Aluminum+ Brushed cross-grain oak Surface Aluminum according to  
color charts | beam oak only MATTLASUR according to color chart Handle outside GSD-633 | RAL 9005 FS  
PZ rosette ZRA-326 | RAL 9005 FS



**5627/edition02**  
VS MIX MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | Frame+ Door leaf | lengthwise  
VS Monobloc 1 ST | mix 2.6 | Aluminum+ Beam oak brushed lengthwise Surface Aluminum according to  
color charts | beam oak only MATTLASUR according to color chart Handle outside SGD-854 | 1600 mm |  
RAL 9005 FS  
PZ rosette ZRA-326 | RAL 9005 FS



**5611/edition02**  
VS Aluminum MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | frame+ door leaf | longitudinal facing  
VS Monobloc 1 ST | Aluminum finish Aluminum  
according to color cards  
External handle GSD-660 handle shell in aluminum plate,  
colored inside, without LED  
PZ rosette ZRA-327



**5621/edition02**  
VS MIX MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | Frame+ Door leaf | lengthwise Face  
shell VS Monobloc 1 ST | mix 3.6  
Surface Aluminum + beam oak longitudinally brushed  
Beamed oak only MATTASUR according to color  
chart Handle outside SGD-854 | 1600 mm | RAL 9005 FS  
PZ rosette ZRA-326 | RAL 9005 FS



**5641/edition02**  
VS Aluminum MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | frame+ door leaf | longitudinal  
cladding VS Monobloc 1 ST | Aluminum finish Aluminum  
according to color cards Glazing 2 light cut-outs  
Triple glazing | Clear glass  
External handle GSD-660 handle shell in aluminum plate,  
colored inside, without LED  
PZ rosette ZRA-327




**5622/edition02**  
VS MIX MONOBLOC

Construction Wood blank | VS facing shell Wood type  
Spruce | Frame+ Door leaf | lengthwise Facing  
VS Monobloc 1 ST, TB mix 3.6  
Surface Aluminum + beam oak brushed lengthwise  
Beamed oak only MATTASUR according to color  
chart Glazing 1 light cut-out | triple stepped glass  
with color contrast black  
External handle SGD-854 | 1600 mm | RAL 9005 FS PZ  
rosette ZRA-318 | RAL 9005 FS

## Extroverted design. Timeless avant-garde in aluminum.

Are you looking for a front door that stands out from the crowd?  
You've come to the right place! These models are simply different - progressive, modern, individual...



### 2521/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise VS
aluminum cladding	
Surface finish	Aluminum according to color
cards Glazing	2 light cut-outs   Triple glazing   Clear glass
Grooves	6 horizontal grooves 10 mm External
handle	GSD-642, handle shell Alunox, Colored backplate PZ
rosette	ZRA-327   Stainless steel



### 2451/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   longitudinal facing
VS Aluminum	
Surface finish	Aluminum according to color cards
Grooves	2 vertical grooves 10 mm External
handle	GSD-641, handle shell Alunox, Colored bowl
PZ rosette	ZRA-327   Stainless steel



### 2535/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise VS
aluminum cladding	
Surface finish	Aluminum according to color cards
Glazing	2 light cut-outs   triple glazing   clear glass External
handle	GSD-660 handle shell in aluminum plate, colored inside, without LED PZ rosette
	ZRA-327   Stainless steel



**2455/edition02**  
VS Aluminium

Construction Wood blank | VS facing shell Wood type  
Spruce | frame + door leaf | longitudinal facing  
VS Aluminium  
Surface 2-color | Aluminum according to color cards  
Grooves 1 vertical+ 2 horizontal grooves 10 mm External handle  
GSD-641 Handle shell Alunox,  
colored bowl  
PZ rosette ZRA-327 | Stainless steel



**2458/edition02**  
VS Aluminium

Construction Wood blank | VS facing shell Wood type  
Spruce | frame + door leaf | longitudinal facing  
VS Aluminium  
Surface finish Aluminum according to color cards  
Grooves 5 vertical grooves 10 mm External handle  
GSD-642 handle shell Alunox,  
bowl with colored backing, with PZ Rosette



**2461/edition02**  
VS Aluminium

Construction Wood blank | VS facing shell Wood type  
Spruce | frame + door leaf | longitudinal facing  
VS Aluminium  
Surface finish Aluminum according to color cards  
Grooves 1 vertical+ 2 horizontal grooves 10 mm External handle  
GSD-642 Handle shell Alunox,  
bowl with colored backing, with PZ Rosette




**2202/edition02**  
VS Aluminium

Construction Wood blank | VS facing shell Wood type  
Spruce | Frame+ Door leaf | lengthwise VS  
aluminum cladding  
Surface finish Aluminum according to color cards  
External handle GSD-660 handle shell in aluminum plate,  
colored inside, without LED PZ rosette  
ZRA-327 | Stainless steel

## Fine accents through Metal pilaster strips or milled grooves

### Small details set strong accents.

Flush-mounted Alunox decorative pilaster strips or milled grooves structure the surfaces and create interesting contrasts.



#### 2439/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise VS
aluminum cladding	
Surface finish	Aluminum according to color cards
Pilaster strips	5 horizontal pilaster strips Alunox 10 mm
outside handle	SGD-832   Length 1800 mm
PZ rosette	ZRA-318   Stainless steel




#### 2414/edition02 VS MIX

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   lengthwise
VS mix 3.2 facing panel	Aluminum+ Cross-brushed oak beams Surface Aluminum according to color cards
Pilaster strips	4 horizontal pilaster strips Alunox 10 mm
External handle	SGD-732
PZ rosette	ZRA-318



#### 2441/edition02 VS Aluminum

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise VS
aluminum cladding	
Surface finish	Aluminum according to color cards
Grooves	5 diagonal grooves 10 mm
External handle	SGD-732
PZ rosette	ZRA-318



## Wood-aluminum has many faces...

From this very versatile wood-aluminum base model, almost infinite variants can be designed. The frame is always made of aluminum - in countless color variations - but for the door leaf you can choose from the entire DÖPFNER world of materials: Wood, mineral, stone...

### 2201/edition02 VS Aluminum

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | longitudinal facing  
VS Aluminum  
Surface finish Aluminum according to color cards  
External handle SGD-811 | length 1800 mm PZ rosette ZRA-318



### 2203/edition02 VS Wood

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise facing  
VS knotty oak crosswise  
Surface finish Frame aluminum according to color cards Knotty oak door leaf only MATTASUR according to color chart  
External handle SGD-731  
PZ rosette ZRA-318  
Base plate W55 Alunox



### 2204/edition02 VS Wood

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise VS  
Oak knotty lengthwise  
Surface finish Frame aluminum according to color cards Knotty oak door leaf only MATTASUR according to color chart  
External handle SGD-832 | 1200 mm  
PZ rosette ZRA-318  
Base plate W55 Alunox



### 2222/edition02 VS Mineral

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise facing  
VS Mineral steel effect rusted  
Surface finish Frame aluminum according to color cards  
Handle outside SGD-714  
PZ rosette ZRA-318



### 2241/edition02 VS Stone

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise VS  
facing shell Stone Nero  
Surface finish Frame aluminum according to color cards  
Handle outside SGD-811 | Length 1800 mm  
PZ rosette ZRA-318

Material-MIX. Mix and match your own individual front door...



#### It's all about the right mix!

These MIX models with multi-part facing shells combine different material worlds into a harmonious unit

#### 2331/edition02 VS MIX

Construction type	Wood blank   VS MIX facing shell Wood Spruce   Frame+ Door leaf   lengthwise Facing VS mix 2.6   Beam oak brushed lengthwise + Mineral stone effect anthracite
Surface finish	Frame aluminum according to color cards
plaster strip	Beam oak only MATTLASUR according to color chart 1 vertical plaster strip Alunox 10 mm
External handle	SGD-713
PZ rosette	ZRA-318



#### 2302/edition02 VS MIX

Construction type	Wood blank   VS MIX facing shell Wood Spruce   frame+ door leaf   lengthwise VS mix facing shell 2.1   Aluminum+ Oak knotty crosswise Surface Aluminum according to color cards
Pilaster strip	Oak knotty only MATTLASUR according to color chart 4 horizontal pilaster strips Alunox 10 mm
External handle	SGD-811   Length 1800 mm
PZ rosette	ZRA-318



#### 2371/edition02 VS MIX

Construction type	Blank wood   VS MIX cladding Wood type Spruce   frame+ door leaf   longitudinal facing VS mix 3.2   Aluminum+ Stone Nero Surface Aluminum according to color cards
Pilaster strip	4 horizontal pilaster strips Alunox 10 mm
External handle	SGD-732
PZ rosette	ZRA-318




#### 2333/edition02 VS MIX

Construction type	Blank wood   VS MIX facing shell Wood Spruce   frame+ door leaf   lengthwise VS mix 2.7 cladding   Aluminum+ Brushed oak beams lengthwise Surface Aluminum according to color cards
Pilaster strip	Beam oak only MATTLASUR according to color chart 3 vertical pilaster strips Alunox 10 mm
External handle	SGD-832   Length 1000 mm
PZ rosette	ZRA-326



#### 2338/edition02 VS MIX

Construction type	Blank timber   VS MIX cladding Wood type Spruce   Frame+ Door leaf   longitudinal VS mix 2.6 cladding   Aluminum+ Oak longitudinal Surface Aluminum according to color charts   Oak according to color charts Glazing 1 light cut-out   triple glazing   clear glass External handle SGD-811   length 1600 mm
PZ rosette	SRA-311



## More glass. More light. More insight.

These models with light cut-outs let the sun in and create visual contact with the outside - depending on the type of glass selected, from clear to satinato to ornamental. Or even dark tinted? You decide!

### 2501/edition02 VS Aluminium

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | longitudinal facing  
VS Aluminium  
Surface finish Aluminum according to color cards  
Glazing 1 light cut-out | triple glazing | clear glass External  
handle SGD-811 | length 1600 mm  
PZ rosette ZRA-318



### 2365/edition02 VS MIX

Construction Blank wood | VS MIX cladding Wood type Spruce | frame + door leaf | lengthwise VS mix  
facing panel 3.1 | Oak crosswise+ Aluminum finish Aluminum and oak according to color cards  
Glazing 2 light cut-outs | triple glazing | clear glass External  
handle SGD-732  
PZ rosette ZRA-318



### 2541/edition02 VS Aluminium

Construction Wood blank | VS facing shell Wood type Spruce | Frame+ Door leaf | lengthwise VS  
aluminum cladding  
Surface finish Aluminum according to color cards  
Glazing 5 light cut-outs | triple glazing | clear glass External  
handle SGD-711  
PZ rosette ZRA-311




### 2557/edition02 VS Aluminium

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | longitudinal facing  
VS Aluminium  
Surface finish Aluminum according to color cards  
Glazing 6 light cut-outs | triple glazing | clear glass External  
handle SGD-832 | length 1600 mm  
PZ rosette SRA-331



### 2517/edition02 VS Aluminium

Construction Wood blank | VS facing shell Wood type Spruce | Frame+ Door leaf | lengthwise VS  
aluminum cladding  
Surface finish Aluminum according to color cards  
Grooves 4 horizontal groove millings 10 mm glazing  
1 light cut-out | triple glazing  
satinized with 4 clear glass strips  
External handle SGD-811 | Length 1200 mm PZ  
rosette ZRA-318



## Pure nature! Tangible. Tangible. Genuine.

Wood is a special material. Surfaces that you want to touch.  
Quality craftsmanship that immediately catches the eye.

### 1113/edition02

Construction	Blank wood
Wood type	Oak beam oak brushed lengthwise
Surface chart	Door leaf only MATTLASUR according to color
Handle outside	Frame   according to color cards
rosette	SGD-832   Length 1200 mm PZ
	ZRA-318



### 1111/edition02

Construction	Blank wood
Wood species	Oak knotty lengthwise
Surface chart	only MATTLASUR according to color
Handle outside	SGD-832   1200 mm
PZ rosette	ZRA-318
Base plate	W55 Alunox



### 1112/edition02

Construction	Blank wood
Wood type	Oak knotty t.s.
Surface chart	only MATTLASUR according to color
Handle outside	SGD-731
PZ rosette	ZRA-318
Base plate	W55 Alunox



### 1102/edition02

Construction	Blank wood
Wood species	Oak lengthwise
Surface	according to color cards
External handle	SGD-821 Length   1800 mm PZ
rosette	ZRA-328
Base plate	W55 Alunox



### 1103/edition02

Construction	Blank wood
Wood type	Oak t.s.
Surface	according to color cards
External handle	SGD-722
PZ rosette	ZRA-328
Base plate	W55 Alunox


## Wooden front doors with opaque RAL color surface.

Make it colorful and choose "your color" from the entire DÖPFNER RAL spectrum. What all shades have in common is the outstanding weather resistance and durability of our new DIAMOND FINISH color system.




### 1101/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise
Surface finish	DIAMOND FINISH RAL   according to color cards
External handle	SGD-832   Length 1600 mm
PZ rosette	ZRA-318
Base plate	WSS Alunox



## Diamond Finish RAL

The ultra-weatherproof color system.  
Exclusively by DÖPFNER.



### 1405/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise Surface DIAMOND FINISH RAL   according to color cards
Grooves	2 x groove milling 10 mm
External handle	SGD-821   Length 1600 mm PZ
rosette	SRA-321
Base plate	WSS Alunox



### 1408/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise Surface DIAMOND FINISH RAL   according to color cards
Pilaster strips	3 x Alunox 10 mm pilaster strip
External handle	SGD-821   Length 1600 mm PZ
rosette	SRA-321
Base plate	WSS Alunox



## Incredibly versatile material worlds...

Revel in the sheer variety: wood, reclaimed wood, mineral material, stone...

The choice is yours!

### 1211/edition02 VS Mineral

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise facing  
VS Mineral | Light cement  
Surface finish Frame according to color cards  
Handle outside SGD-732  
PZ rosette ZRA-318  
Base plate W55 Alunox



### 1221/edition02 VS Mineral

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | lengthwise facing  
VS Mineral | sandstone  
Surface finish Frame according to color cards  
Handle outside SGD-811 | Length 1000 mm PZ rosette ZRA-318



### 1223/edition02 VS Mineral

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | along facing VS  
Mineral | grate  
Surface finish Frame according to color cards  
Handle outside SGD-811 | Length 1000 mm PZ rosette ZRA-318



### 1233/edition02 VS Stone

Construction Wood blank | VS facing shell Wood type Spruce | frame + door leaf | longitudinal facing  
VS Stone | Arkobalento  
Surface finish Frame according to color cards  
Handle outside SGD-732  
PZ rosette ZRA-318



### 1242/edition02 VS Corian®

Construction Wood blank | VS facing shell Wood type Spruce | Frame+ Door leaf | lengthwise VS cladding Corian® Frescata FA-L010 Finish Frame according to color cards  
Inside handle LT-023 | Rosettes round | Stainless steel  
handle outside GSD-660 Handle shell in Corian plate | colored inside, without LED  
PZ rosette SRA-331



## Material-MIX. Combine as the mood takes you...

Opposites attract.  
These MIX models with multi-part facing shells  
combine different material worlds.

### 1352/edition02 VS MIX

Construction Blank timber | Facing VS MIX Wood type  
Oak lengthwise  
surface according to color cards  
VS mix 3.1 facing panel | Stone Nero+ Brushed beam oak Pilaster strips  
2 x pilaster strip Alunox 10 mm silver  
External handle GSD-631  
PZ rosette ZRA-326



### 1311/edition02 VS MIX

Construction Blank timber | Facing VS MIX Wood type  
Oak lengthwise  
surface according to color cards  
VS mix 2.2 facing panel | Oak horizontal+ Stone Nero  
External handle SGD-711  
PZ rosette SRA-311



### 1303/edition02 VS MIX

Construction Wood blank | VS MIX facing shell Wood  
type Spruce | Frame+ Door leaf | lengthwise  
Surface according to color charts VS mix  
2.1 | 2 x wood RAL opaque External handle  
SGD-811 | Length 1000 mm PZ  
rosette ZRA-318



### 1332/edition02 VS MIX

Construction Blank timber | Facing VS MIX Wood type  
Oak lengthwise  
surface according to color cards  
VS mix 2.6 facing panel | Wood+ Corian® Frescata FA-L009 External  
handle SGD-851 | Length 1600 mm  
PZ rosette SRA-331



### 1334/edition02 VS MIX

Construction Wood blank | VS MIX facing shell Wood  
type Spruce | Frame+ Door leaf | lengthwise  
surface according to color cards  
VS mix 2.6 cladding | Aluminum+ Wood | according to color cards Handle  
outside SGD-832 | length 1200 mm  
PZ rosette ZRA-318






## Elegant metal inlays. Details set elegant accents.

Decorative pilaster strips made of Alunox - supplemented by alternating veneer patterns depending on the model - create interesting contrasts.

### 1401/edition02

Construction	Blank wood
Wood type	Oak   Exterior: 5 strips with Alternating veneer directions   Inside: lengthwise surface
Pilaster strips	4 x pilaster strip Alunox 10 mm silver
External handle	SGD-814   Length 600 mm
PZ rosette	SRA-311



### 1412/edition02

Construction	Blank wood
Wood type	Oak knotty t.s.
Surface finish	Door leaf only MATTLASUR   according to color chart Frame according to color chart
Pilaster strips	7 x pilaster strip Alunox 10 mm black
External handle	SGD-854   Length 1800 mm   RAL 9005 FS Fingerprint optional (SGD-858)
PZ rosette	ZRA-326
Base plate	WS 5 black



### 1421/edition02

Construction	Blank wood
Wood type	Oak lengthwise   Lock side crosswise according to color cards
Surface	according to color cards
Pilaster strips	4 x pilaster strip, stainless steel 10 mm
External handle	SGD-714
PZ rosette	ZRA-318 Weather bar WS 4   Wood type like door leaf



### 1409/edition02

Construction	Blank wood
Wood type	Oak knotty t.s.
Surface finish	Door leaf only MATTLASUR   according to color chart Frames according to color cards
Pilaster strips	3 x pilaster strip stainless steel 10 mm
External handle	GSD-611 with integrated PZ rosette
Base plate	WS 5 Alunox



### 1518/edition02

Construction	Blank wood
Wood type	Oak t.s.
Surface	according to color cards Frames according to color cards
Glazing	2 light cut-outs   Double glazing   Clear glass
Strips	Pilaster strip 1 x 10 mm stainless steel
External handle	GSD-611
PZ rosette	ZRA-326 Weather bar WS 4   Wood type like door leaf

## STEP GLASS

This elaborate glazing consists of a flush-mounted, colored cover pane with triple insulating glazing mounted behind it.

This allows us to achieve perfect integration of the glass unit into the door leaf.

## More glass. More light. More insight.

Glass cut-outs bring the sun inside - and provide beautiful views outside.

### 1511/edition02

Construction	Blank wood
Wood type	Oak t.s.
surface	according to color cards
Glazing	1 light cut-out   Triple stepped glass with black color offset Outside
handle	SGD-832   Length 600 mm PZ
rosette	ZRA-318




### 1501/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise
surface	according to color cards
Glazing	1 light cut-out in the middle   Double glazing
External handle	SGD-821   Length 1600 mm PZ
rosette	ZRA-321
Base plate	W55 Alunox



### 1504/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise
surface	according to color cards
Glazing	1 light cut-out off-center   double glazing clear glass
External handle	SGD-832   Length 1600 mm PZ
rosette	ZRA-318
Base plate	W55 Alunox



### 1521/edition02

Construction	Blank wood
Wood type	Spruce   Frame+ Door leaf   lengthwise
surface	according to color cards
Glazing	3 light cut-outs   double glazing   clear glass
strips	6 x pilaster strip Alunox 10 mm silver
Cover	Alunox   vertical on the lock side
External handle	SGD-821   Length 1200 mm PZ
rosette	ZRA-328



### 1531/edition02

Construction	Blank wood
Wood type	Oak t.s.
Surface	Door leaf only MATTLASUR   according to color chart
Glazing	8 light cut-outs   double glazing   clear glass
strips	1 x pilaster strip Alunox 10 mm silver
External handle	SGD-811   Length 1600 mm PZ
rosette	SRA-331
Base plate	W55 Alunox



## Classic look. Modern technology.

Our classic front door models for historic façades are available in many designs.

### 1671/edition02 CLASSIC

Construction type	Frieze construction, 2-leaf Wood oak
surface	according to color cards
Outside handle	Customer design
PZ rosette	Customer design
weather bar	Special design



### 1673/edition02 CLASSIC

Construction	Frieze construction
Wood species	Larch
surface	according to color cards
Glazing	2 bays   Georgian bar dividing glass   Double glazing, satinized with ornament   Glazing beads on both sides
External handle	LS-422
Weatherboard	WS1   Wood type like door leaf



### 1651/edition02 CLASSIC

Construction	Frieze construction   filling flattened Wood type oak
surface	according to color cards
External handle	SGD-821   Length approx. 600
mm PZ rosette	SRA-321
Weatherboard	WS1   Wood type like door leaf



### 1641/edition02 CLASSIC


Construction	Frieze construction   filling flattened and curved upper frieze with tail arch
Wood species	Oak
surface	according to color cards
Glazing	2 bays   Georgian bar dividing glass   Double glazing   Clear glass glazing beads on both sides
Outside handle	Long plate LS-423
Weatherboard	WS1   Wood type like door leaf



### 1677/edition02 CLASSIC

Construction	Blank wood   Panel application and Base mounted on the outside
Wood species	Spruce
surface	according to color cards
Glazing	1 light cut-out semicircular   Muntin bars attached Double glazing   Clear glass glazing beads on both sides
Outside handle	Long plate LS-411
Weatherboard	model-specific





### 1620/edition02 CLASSIC

Construction species surface Glazing External handle PZ rosette

Frieze construction | filling flattened | with battens Wood spruce according to color cards 4 bays | Georgian bars dividing the glass | Double glazing Clear glass | glazing beads on both sides KG-525 SRA-321 Weather bar WS1 | Wood type like door leaf



### 1621/edition02 CLASSIC

Construction species surface Glazing External handle PZ rosette

Frieze construction | filling flattened | with battens Wood spruce according to color cards 4 bays | Top segmental arch | Glazing bars, glass-dividing Double glazing | Clear glass glazing beads on both sides KG-525 SRA-321 Weather bar WS1 | Wood type like door leaf



### 1622/edition02 CLASSIC

Construction species surface Glazing External handle PZ rosette

Frieze construction | filling flattened | with battens Wood spruce according to color cards 4 bays | top Tail arch | Glazing bars divided by glass Double glazing | Clear glass glazing beads on both sides KG-525 SRA-321 Weather bar WS1 | Wood type like door leaf



### 1630/edition02 CLASSIC

Construction species surface Glazing External handle Weatherboard


Frieze construction | filling flattened | without battens Wood spruce according to color cards 6 sections | Georgian bars dividing glass | Double glazing | Clear glass Glazing beads inside Long plate LS-423 WS1 | Wood type like door leaf



### 1631/edition02 CLASSIC

Construction species surface Glazing External handle Weatherboard

Frieze construction | filling flattened | without battens Wood spruce according to color cards 6 bays | Top segmental arch | Glazing bars dividing glass Double glazing | Clear glass Glazing beads inside Long plate LS-423 WS1 | Wood type like door leaf



## Classic craftsmanship: star, rhombus+ Co.

Star, ship's floor, rhombus or rhombus formwork - these models are solidly crafted masterpieces.

### 1715/edition02 VS Wood | Star

Construction Blank wood | Facing VS Wood type oak  
 Front panel VS Oak | Star motif surface according to color  
 cards  
 Outside handle Long backplate LS-422 Weather bar WS model | Wood type like door leaf



### 1711/edition02 VS Wood | Ship's floor

Construction Blank wood | Facing VS Wood type oak  
 Front panel VS Oak | Motif Ship's floor surface according to color cards  
 External handle SGD-811 | Length 1800 mm PZ  
 rosette ZRA-318  
 Base plate W55 Alunox



### 1725/edition02 VS Wood | Rhombus


Construction Blank wood | Facing VS Wood Larch  
 species VS larch cladding | Rhombus surface motif according to color  
 cards  
 Glazing 1 light cut-out | double glazing | clear glass External  
 handle Long plate LS-422  
 Weatherboard WS model | Wood type like door leaf



### 1721/edition02 VS Wood | Rhombus formwork

Construction Blank wood | Facing VS Wood type oak  
 VS larch cladding | Rhombus cladding motif Surface according to color cards  
 External handle SGD-732  
 PZ rosette SRA-361  
 Base plate W55 Alunox





BRIDGE SWITCHING  
WITHOUT FASE  
Without V-groove chamfer  
between the boards


BOARD FORMWORK  
WITH CHAMFER  
With V-groove chamfer  
between the boards

## Ancient wood. Graying in honor!

These materials are truly ancient - you will find them here if you are looking for genuine, weathered reclaimed wood. Rustic-rough or smoothly planed. Or optionally with the innovative THERMOFICHTE material - thermally treated with a perfect reclaimed wood look and outstanding weather resistance.

### 1265-AH/edition02 VS Waste wood

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise
Facing board VS	Oak antique light transverse   Board formwork transverse Board edges without chamfer (optionally chamfered) Frame   according to color cards
Surface	Waste wood untreated or Pullex wood oil colorless Navarra
External handle rosette	SGD-821   Length 1000 mm PZ SRA-321



### 1266-AH/edition02 VS Waste wood

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   lengthwise
Facing panel VS	Antique light oak lengthwise   Board formwork lengthwise
Surface	Board edges without chamfer (optionally chamfered) Frame according to color cards Reclaimed wood untreated or Pullex wood oil colorless Navarra
External handle rosette	SGD-854   Length 1600 mm   RAL 9005 FS PZ ZRA-318   RAL 9005 FS



### 1281-AG/edition02 VS Waste wood

Construction	Wood blank   VS facing shell Wood type Spruce   Frame+ Door leaf   lengthwise VS facing panel Antique planed oak   motif 01
Surface	Board edges without chamfer (optionally chamfered) Frame according to color cards Reclaimed wood untreated or Pullex wood oil colorless Navarra
External handle rosette	SGD-832   Length 1200 mm PZ SRA-311



### VS reclaimed wood look

Construction	Wood blank   VS facing shell Wood type Spruce   frame + door leaf   longitudinal facing
VS Thermo spruce	motif 01
chamfered) Surface	Board edges without chamfer (optionally chamfered) Frame   according to color cards Reclaimed wood untreated or Pullex wood oil colorless Navarra
handle outside PZ rosette	SGD-811   length 600 mm ZRA-318

Now also in  
thermal spruce  
Perfect reclaimed  
wood look.  
Highly weather-  
resistant and  
durable.



### VS MIX

Construction	Wood blank   VS MIX facing shell Wood type Spruce   Frame+ Door leaf   lengthwise Facing VS mix 2.6   Aluminum+ Thermo spruce crosswise
chamfered) Surface	Board edges without chamfer (optionally chamfered) Frame + aluminum   according to color cards Reclaimed wood untreated or Pullex wood oil colorless Navarra
handle outside PZ rosette	SGD-832   Length 1200 mm SRA-311

## Side entrance. But not incidental!

Side entrances and utility rooms also deserve a proper door.

Appearance, ease of use and security are all too often subordinated to the pure price argument. DÖPFNER offers you affordable side entrance doors that are at the same high level as our front door models in terms of burglar resistance.



### Front door quality and security also for side entrances and utility room doors.

The cheapest door can end up being the most expensive at the end of the day - This is because, from an insurance point of view, a certain standard of burglary protection must also be guaranteed at side entrances in order not to jeopardize the insurance cover.

Some very cheap DIY store doors are often not up to these requirements!

#### 9105/edition02

Construction	Frieze construction
Wood species	spruce
surface	according to color cards
Glazing	1 light cut-out, double glazing   clear glass infill
	Smooth
External handle	Long plate LS-427
Weatherboard	WS2   Wood type like door leaf



#### 9101/edition02

Construction	Frieze construction
Wood species	spruce
surface	according to color cards
Glazing	1 light cut-out, double glazing   clear glass External
handle	Long plate LS-427
Weatherboard	WS2   Wood type like door leaf



#### 9102/edition02

Construction	Frieze construction
Wood type	Spruce facing VS
Aluminum surface	according to color
cards	
Glazing	1 light cut-out, double glazing   Clear glass External
handle	Long plate LS-427




#### 9104/edition02

Construction	Frieze construction
Wood species	spruce
surface	according to color cards
Filling	smooth with vertical grooves
Outside handle	Long backplate LS-427
Weather bar	WS2   Wood type like door leaf



#### 9113/edition02

Construction	Frieze construction
Wood species	spruce
surface	according to color cards
Glazing	1 light cut-out, double glazing   Clear glass Filling
	smooth with vertical grooves
External handle	Long plate LS-427
Weatherboard	WS2   Wood type like door leaf



## Standard

### The basic features of our HOLZ-ALUMINIUM and HOLZ entrance door models

<b>Installation depth</b>	68/74 mm
<b>Construction</b>	Flush outside and inside depending on model <input type="checkbox"/> flush outside opening inwards <input type="checkbox"/>
<b>With HOLZ-ALUMINIUM Aluminum BLR exterior</b>	Depending on model Aluminum tray SLIM 1 or SLIM 3 or CONTUR corners welded
<b>Lock system</b>	BS 2600  3-point locking system without electric strike Without profile cylinder
<b>Door hinges</b>	3 x BAKA Protect 4010 3D FD
<b>External handle</b>	As required  Handle lengths are selected individually depending on the model
<b>Inside handle</b>	selectable
<b>Wood</b>	Spruce, larch, oak
<b>Wood surfaces</b>	DIAMOND FINISH MATT GLAZE PULLEX WOOD OIL NAVARRA according to color sample cards
<b>Weather leg</b>	depending on model
<b>Threshold</b>	BKV Eifel xxTB

**Döpfner Betriebs-GmbH+ Co. KG**

Max-Planck-Straße 2 | D-97447 Gerolzhofen

Phone +49 (0) 93 82-97 42-0

e-mail [info@doepfner.de](mailto:info@doepfner.de)

[www.doepfner.de](http://www.doepfner.de)

 **DÖPFNER**  
FENSTER TÜREN UND MEHR